



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

| | | | |
|---|--|-----------|---|
| (51) International Patent Classification ⁶ : G06F 3/14 | | A1 | (11) International Publication Number: WO 99/10801 |
| | | | (43) International Publication Date: 4 March 1999 (04.03.99) |

| | |
|---|---|
| <p>(21) International Application Number: PCT/US98/16678</p> <p>(22) International Filing Date: 11 August 1998 (11.08.98)</p> <p>(30) Priority Data: 08/916,685 22 August 1997 (22.08.97) US</p> <p>(71) Applicant: APEX PC SOLUTIONS, INC. [US/US]; 20031 – 142nd Avenue N.E., Woodinville, WA 98072 (US).</p> <p>(72) Inventors: HAFER, Kevin, J.; 12414 – 203rd Avenue N.E., Woodinville, WA 98072 (US). BEASLEY, Danny, L.; 13101 – 42nd Avenue W., Mukilteo, WA 98275 (US). LACRAMPE, Paul, L.; 8206 – 19th Avenue N.E., Seattle, WA 98115 (US). MCCARTHY, Stephen, J.; 1412 Third Avenue W., Seattle, WA 98119 (US). SCHNEIDER, Walter, J.; 21636 Russet Lane, Brier, WA 98036 (US). SEIFERT, Robert, V., Jr.; 18324 N.E. 105th Court, Redmond, WA 98052 (US).</p> <p>(74) Agent: TULLETT, Rodney, C.; Christensen, O'Connor, Johnson & Kindness PLLC, Suite 2800, 1420 Fifth Avenue, Seattle, WA 98101 (US).</p> | <p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).</p> <p>Published With international search report.</p> |
|---|---|

(54) Title: REMOTE COMPUTER CONTROL SYSTEM

(57) Abstract

A computer control system that allows a user of a remotely located workstation to control a target computer. A host computer runs a remote control program that transmits data in its video memory, and keyboard and mouse buffers to the remote workstation. The video signals of the target computer are digitized and stored in the host computer's video memory. In addition, keyboard and mouse signals to and from the target computer are stored in the host computer's keyboard and mouse buffers. The host computer then transmits these signals using the remote control program to the remotely located workstation.



